



EMAN EMAN BUILDING CLEANING EQUIPMENT TRADING CO. L.L.C
ایمان ایمان لتجارة معدات تنظيف المباني ذذم

YJ-168

Ride-on Scrubber Drier (double brush)

Product performance characteristics:

This machine can meet all the cleaning demand of the industrial and business areas. With its coherent designs, it can provide the optimal cleaning strategies for the large area which requires the flexible and has small narrow channel limitation. It is equipped with a comfortable seat chair according with the Ergonomics, and adjustable steering wheels. Its allocation turns to the automatically decreasing speed system, guaranteeing the security of the operator. It is so clear that the intelligent and humanistic control displaying panel, water volume and brush board adjusting, breakdown indications can be found immediately. It also equipped with the inductance system of water volume, fully protecting the brush board and water absorption system.

Technical Specification:	
Voltage:	24VDC
Speed:	1.5~5.5km/h
Gradeability:	11°
Turning radius:	1000mm
Cleaning width:	950mm
Driving motor:	24V 1200W
Floor motor:	2x24V 350W
Brush rotation speed:	180rpm
Water sucker motor:	24V 900W
Sucking degree:	180mbar
Squeegee lifting motor:	24V 100W
Brush lifting motor:	24V 100W
Water sucker:	1200mm
Headlight:	24V 70W
Battery:	6EV 200Ah
Clean water tank capacity:	130L
Dirty water tank capacity:	160L
Net weight:	420kg
Gross weight:	470kg
Packing:IPC	1935x1075x1350mm



YJ-168



HT-105

Ride-on Scrubber Drier (double brush)

Technical Specification:	
Voltage:	24VDC
Speed:	1.5~5.5km/h
Gradeability:	11°
Turning radius:	1000mm
Cleaning width:	950mm
Driving motor:	24V 500W
Floor motor:	24V 550W
Brush rotation speed:	180rpm
Water sucker motor:	24V 600W
Sucking degree:	180mbar
Squeegee lifting motor:	24V 100W
Brush lifting motor:	24V 100W
Water sucker:	1250mm
Headlight:	24V 18W
Battery:	3*8V 150Ah
Clean water tank capacity:	105L
Dirty water tank capacity:	90L
Net weight:	370kg
Gross weight:	420kg
Packing:IPC	1830x960x1400mm

Product performance characteristics:

This machine can meet all the cleaning demand of the industrial and business areas. With it coherent designs, it can provide the optimal cleaning strategies for the large area which requires the flexible and has small narrow channel limitation. It is equipped with a comfortable seat chair according with the Ergonomics, and adjustable steering wheels. Its allocation turns to the automatically decreasing speed system, guaranteeing the security of the operator. It is so clear that the intelligent and humanistic control displaying panel, water volume and brush board adjusting, breakdown indications can be found immediately. It also equipped with the inductance system of water volume, fully protecting the brush board and water absorption system.



HT-105



RIDE-ON SCRUBBER DRYERS SERIES

HT65B

HT65BT

Ride-on Scrubber Drier (double brush)

Technical Specification:	
Voltage:	24VDC
Gradeability:	11°
Driving motor:	24VDC 300W
Speed:	5km/h
Radius of turning circle:	990mm
Cleaning rate:	1300~5000m²/h
Floor motor:	2x24V 550W
Brush rotation speed:	180rpm/min
Brush diameter	2*Ø13inch
Cleaning width	720mm
Water sucker motor:	24V 400W
Sucking degree:	132mbar
Water sucker:	800mm
Battery:	2x12V 150Ah
Clean water tank capacity:	75L
Dirty water tank capacity:	85L
Net weight:	237kg
Gross weight:	259kg
Packing:IPC	1570x850x1065mm

Product performance characteristics:

HT65B is an indispensable ideal ground-cleaning machine, which is with flexible operation, triangular brushes design and high cleaning efficiency. It applies to municipal building site, square, super market, factories, workshop and a variety of public places.



HT65B
HT65BT



HT55B

Ride-on Scrubber Drier (single brush)

Technical Specification:	
Voltage:	24VDC
Gradeability:	11°
Driving motor:	24VDC 300W
Speed:	5km/h
Radius of turning circle:	990mm
Cleaning rate:	2630m²/h
Floor motor:	24V 500W
Brush rotation speed:	180rpm/min
Brush diameter	1*Ø20inch
Cleaning width	520mm
Water sucker motor:	24V 400W
Sucking degree:	132mbar
Water sucker:	800mm
Battery:	2x12V 150Ah
Clean water tank capacity:	75L
Dirty water tank capacity:	85L
Net weight:	225kg
Gross weight:	254kg
Packing:IPC	1475x735x1100mm

Product performance characteristics:

HT55B is an indispensable ideal ground-cleaning machine, which is with flexible operation, triangular brushes design and high cleaning efficiency. It applies to municipal building site, square, super market, factories, workshop and a variety of public places.



HT55B



SWEeper

HT-100

Driving Type Sweeper

Technical Specification:	
Voltage:	24VDC
Sweep width:	1000mm
Walking speed:	0~6km
Side brush motor:	DC24V 80W
Driving motor:	DC24V 350W
Rolling brush and combined motor:	DC24V 600W
Dust vibration motor:	DC24V 75W
Battery:	2*12V 150Ah
Gradeability:	11°
Dustbin capacity:	90L
Filter surface	5.5m ²
Maximum working efficiency:	7200m ² /h
Net weight:	284KG
Gross weight:	322KG
Packing:1PC	1470x960x1230mm

Product performance characteristics:

HT-100 driving type sweeper adopts the technique of back-cast cleaning, reasonably collecting the garbage, and the filtering system of automatically dust shaking, can keep the clean of the indoor filtering all the time. It employs the powerful traction motor, leading a stable and safe driving. The rear garbage box can be cleaned easily. This ride-on sweeper is equipped with highly adjustable main brush and floating side brushes. It is quite suitable to be used at outdoor roads and all types of public areas, such as the hospitals, school campuses, big-size shopping malls, parking lots, residential areas, parks and so on. It is used to the solid waste on the ground, and can provide an excellent cleaning performance in both indoor and outdoor.



HT-100

HAND PUSH TYPE SCRUBBER DRIER

HT-56

Hand Push Type Scrubber Drier

Technical Specification:	
Voltage:	24VDC
Cleaning rate:	1800m ² /h
Cleaning width:	510mm/20inch
Water sucker:	780mm
Brush diameter:	Ø510mm
Brush rotation speed:	180rpm
Battery:	2*12V 100Ah
Brush motor power:	450W
Power of the water sucking motor:	500W
Clean water tank capacity:	54L
Dirty water tank capacity:	56L
Water sucking vacuum degree:	180mbar
Noise:	≤70dB
Net weight:	140kg
Gross weight:	175kg
Packing:IPC	1440x660x1050mm

Product performance characteristics:

This machine is a full-automatic washing machine, which can be used in public areas or in industrial environment, and it can automatically complete the ground cleaning and sewage recycling work. It can automatically distribute cleaning agents and clean water on the ground to conduct cleaning operation, removing the dirt. By selecting appropriate cleaning agents and scrubbing brushes, this machine is suitable for cleaning of any ground. The built-in clear water tank and sewage tank can recycle the (sewage) water while cleaning the ground and the suction function is realized by the suction motor mounted on sewage tank, which forms a vacuum suction mechanism that suck up the sewage into sewage tank through the scratcher.



HT-56

AUTO SCRUBBER DRIERS

HT-57/HT-57T

Scrubber with battery

Technical Specification	
Voltage:	24VDC
Frequency:	- -
Current:	35A
Power:	1165W
Floor motor:	18A 600W
Brush rotation speed:	168rpm
Water sucking motor:	400W
Cleaning width:	780mm
Cleaning rate:	1830m ² /h
Water sucker:	780mm
Clean water tank capacity:	58L
Dirty water tank capacity:	55L
Battery:	2*12V
Electromagnetic valve:	24V
Gross weight:	164.5kg
Net weight:	138kg
Length of the cable:	- -
Packing:IPC	1430x670x1050mm
Accessories: brush, pad holder, water squeegee, charger, battery, main body, water tank.	



HT-57
HT-57T

Features:

Portable design, easy operation. Adjustable type arc rear squeegee, water more efficiently. Operation panel stick out a mile, operation more convenient.

HT-58

Hand Push Type Scrubber Drier

Technical Specification	
Voltage:	24VDC
Frequency:	- -
Current:	35A
Power:	1165W
Floor motor:	18A 600W
Brush rotation speed:	168rpm
Water sucking motor:	400W
Cleaning width:	780mm
Cleaning rate:	1830m ² /h
Water sucker:	780mm
Clean water tank capacity:	45L
Dirty water tank capacity:	35L
Battery:	2*12V
Electromagnetic valve:	24V
Gross weight:	154 kg
Net weight:	130 kg
Length of the cable:	- -
Packing:IPC	1420x660x1050mm
Accessories: brush, pad holder, water squeegee, charger, battery, main body, water tank.	



HT-58

Features:

Hand push type washing machine is suitable for dry and hard ground cleaning sewage, and sewage from cleaning machinery field. With environmental protection, energy saving, high efficiency and other advantages.

HAND PUSH TYPE SCRUBBER DRIER

XD50

Scrubber with battery

XD50C

Scrubber with cable

Technical Specification	XD50	XD50C
Voltage:	24VDC	24VDC
Brush motor power:	500W/24V	500W/24V
Water absorption motor power:	400W/24V	400W/24V
Brush rotation speed:	155rpm/min	155rpm/min
Brush diameter:	510mm	510mm
Suction vacuum degree:	148mbar	148mbar
Water sucker:	780mm	780mm
Clean water tank capacity:	50L	50L
Dirty water tank capacity:	50L	50L
Battery:	2X12V/100Ah	- -
Power:	- -	220V 1200W 24V 50A
Cleanliness efficiency:	1800m ²	1800m ²
Cleaning width:	510mm/20inch	510mm/20inch
Length of the cable:	- -	18 M
Packing:	1243x642x1232mm	1243x642x1232mm
XD50 Accessories: brush, pad holder, water squeegee, main body, water tank, charger, battery		
XD50C Accessories: brush, pad holder, water squeegee, main body, water tank		

Features:

Hand-push washing machine is a kind of cleaning machine which is suitable for cleaning hard ground and sucking up sewage at the same time, and taking the sewage away from the site. It has the advantages of environmental protection, energy saving and high efficiency.



XD50

AUTO SCRUBBER DRIERS

HT-50

Hand Push Type Scrubber Drier

HT-A50

Auto Scrubber Drier

Technical Specification:	
Voltage:	24VDC
Cleaing rate:	2000m²/h
Brush motor power:	24V 500W
Water sucker motor:	155rpm/min
Brush diameter	510mm
Water sucker speet:	24V 400W
Suching degree:	148mbar
Water sucker:	780mm
Battery:	2*12V 100Ah
Clean water tank capacity:	45L
Dirty water tank capacity:	45L
Net weight:	167Kg
Cleansing width:	510mm/20inch
Packing:	1370x650x1130mm
Accessories: brush, pad holder, water squeegee, charger, battery, main body, water tank.	

Features:

The control panel is clear and easy to operate. Compact as it is, it has a large water tank capacity. Mechanical parameters are displayed at any time, letting you be clear of the operational situation of the machine. With the curved water scraper, it makes better water sucking. The brushing disk is fitted with a shield, preventing the sewage from getting out.

HT-A50



20" 154 pad holder




Battery pack 24V/100Ah



Water tank



Control panel



Water squeegee



Motor



20" 154 brush



Charger

SCRUBBER WITH CABLE

XD2A

Scrubber with cable

Technical Specification	
Voltage:	220V-240V
Frequency:	50Hz
Water sucker:	755mm
Brush diameter:	455mm
Rolling brush motor:	220V-240V 1100W
Brush rotation speed:	175rpm/min
Water sucking motor:	220V-240V 1000W
Cleaning width:	455mm
Cleaning rate:	1660m ² /h
Brush pressure:	30kg
Clean water tank capacity:	35L
Dirty water tank capacity:	18L
Length of the cable:	18m
Net weight:	69kg
Gross weight:	101.5kg
Packing:	1060x650x1025mm
Accessories: brush, pad holder, water squeegee, main body, water tank.	

产品性能特点:

翻转式传动机构设计，更换清洁更为方便。可调压式弧形后吸水扒，吸水更有效。各式开关置于操作手柄上，使操控更为简便。可叠式操作杆、分拆式水箱设计，运输更为方便。



XD2A

Features:

Tilting transmission mechanism design, change of cleaning more convenient. Adjustable voltage type arc after absorbing water, grinded, bibulous more effective. All kinds of switch in the handle of operation, make the control more convenient. Can be folded type operating lever, split type water tank design, transport more convenient.

XD3A

Scrubber with battery

XD3AC

Scrubber with cable

Technical Specification	XD3A	XD3AC
Voltage:	24VDC	220V~240VAC
Frequency:	- -	50Hz
Current:	35A	7A
Power:	1165W	1750W
Floor motor:	18A 600W	750W
Brush rotation speed:	168rpm	168rpm
Water sucking motor:	400W	1000W
Cleaning width:	415mm	415mm
Cleaning rate:	1830m²/h	1830m²/h
Water sucker:	755mm	755mm
Clean water tank capacity:	31L	31L
Dirty water tank capacity:	23.5L	23L
Battery:	2*12V	- -
Electromagnetic valve:	24V	220V~240V
Gross weight:	164.5kg	105kg
Net weight:	138kg	70.5kg
Length of the cable:	- -	18m
Packing:IPC	1090x780x810mm	
XD3A		
Accessories: brush, pad holder, water squeegee, charger, battery, main body, water tank.		
XD3AC		
Accessories: brush, pad holder, water squeegee, main body, water tank.		



XD3A

Features:

Portable design, easy operation. Adjustable type arc rear squeegee, water more efficiently. Operation panel stick out a mile, operation more convenient.

SCRUBBER WITH BATTERY SERIES

XD4A

Scrubber With Battery

XD4AC

Scrubber with cable

Technical Specification	
Voltage:	12V
Power:	500W
Brush motor:	12VDC 250W
Brush rotation speed:	165rpm/min
Brush diameter:	370mm
Water sucking motor:	12V 250W
Water sucker:	450mm
Clean water tank capacity:	11L
Dirty water tank capacity:	11L
Battery:	12V 85Ah
Electromagnetic valve:	12V
Net weight:	67kg
Gross weight:	79.5kg
Packing:	1100x560x450mm
Accessories: handle, water tank, hard brush, main body.	

Features:

Portable design, easy operation. Adjustable type arc rear squeegee, water more efficiently. Operation panel stick out a mile, operation more convenient.

XD4A
XD4AC



HT-1500C

High-speed Burnisher

Technical Specification	
Voltage:	220-240V
Frequency:	50Hz
Power:	1500W
Current:	5A
Brush rotation speed:	1500rpm/min
Noise:	≤ 54dB
Brush diameter:	Ø 508mm
Length of the cable:	12m
Weight:	45.2kg
Handle packing size:	480x150x930mm
Motor packing size::	805x560x475mm
Accessories:	main body, Handle

Features:

Beautiful appearance, flexible operation, designed for all kinds of stone polishing. Rotating speed is 1500 rpm, the motor is totally enclosed, after waxing and polishing, surface bright as a mirror.

HT-1500C



CARPET CLEANER

HT-321

Clean Three-in-one Carpet Cleaner

Technical Specification	
Clean water tank:	30.2L
Dirty water tank:	28.3L
Roll brush width:	330mm
Roll brush diameter:	Ø 90mm
Water sucking motor:	220~240V 1000W
Air flow rate:	2880L/min
Rolling brush motor:	24VDC 180W
Spray motor:	24VDC 36W
Voltage:	220V-240V~50Hz
Length of the cable:	12m
Net weight:	46kg
Gross weight:	65kg
Packing:	1250x500x950mm



HT-321

Features:

With high pressure spraying the cleanser can be sprayed into the bottom of the carpet, so as to effectively dissolve the obstinate dirt and stain.

HT-450

Escalator Cleaner

Technical Specification	
Voltage:	220V~240V
Frequency:	50Hz
Power:	1180W
Operating width:	450mm
Dry motor:	220V-240V 1000W
Roll brush motor:	24V 120W
Capacity:	20L
Length of the cable:	12m
Net weight:	34kg
Gross weight:	36kg
Packing:IPC	950x545x310mm
In sulation grade:	I grade



HT-450

Note:

In cleaning operation, if the escalator goes up, the cleaner should be placed on the upper part of the escalator; if the escalator goes down, the cleaner should be placed on the lower part of escalator.

CARPET CLEANER

HT-322 & HT-322B

Three in one washing machine
Split washing machine

Technical Specification		
Clean water tank:	30L	
Dirty water tank:	30L	
Working width:	464mm	369mm
Water sucking motor:	220~240V 1000W	
Rolling brush motor:	220V	0.7NM/1500RPM
Spray motor:	220V	8.3Bar/5.5L/min
Voltage:	220V-240V~50Hz	220V/50Hz
Length of the cable:	12m	
Net weight:	40kg	
Gross weight:	65kg	
Packing:IPC	1260x580x970mm	
colour:		

Features:

Easy removal of the sewage tank, making maintenance is very simple, with a unique airtight drainage tube, 4 nozzles will be a clean agent evenly sprayed into the carpet, simple and easy to operate, without training, high security.



HT-322B



HT-P100-01



HT-322

SOFA MAINTAINER

HT-3 Dry Foam Sofa Maintainer



Technical Specification:	
Voltage:	220V 50Hz
Power:	1094W
Suction motor:	1000W
Brush motor:	12VDC 20W
Air pump:	220V 18W
Water pump:	220V 56W
Brush diameter:	104mm
Clean water tank capacity:	8L
Dirty water tank capacity:	5L
Cable:	3x0.75x7m
Net weight:	16.0kg
Gross weight:	17.6kg
Packing: I PC	730x350x485mm

Features:

HT-3 dry foam sofa maintainer of Haotian brand integrates foam-generation, scrubbing and drying as one, which is professional equipment for washing fabric furniture and decoration. It's applied to hotels, restaurants, chambers, office buildings, places of amusement, theaters, furniture factories and cleaning companies. Use with cleaning agent: carpet water of dry foam.

HT-5 Steam Dry Foam Sofa Maintainer



Technical Specification:	
Voltage:	220V 50Hz
Power:	1094W
Power:	3300W
Suction motor:	1000W
Brush motor:	12VDC 20W
Air pump:	220V 18W
Water pump:	220V 56W
Brush diameter:	104mm
Clean water tank capacity:	13L
Dirty water tank capacity:	8L
Steam water tank capacity:	8L
Cable:	3x2.5x5m
Net weight:	30Kg
Gross weight:	32Kg
Packing: I PC	780x380x700mm

Features:

HT-5 dry foam sofa maintainer of Haotian brand integrates foam-generation, scrubbing and drying as one, which is professional equipment for washing fabric furniture and decoration. It's applied to hotels, restaurants, chambers, office buildings, places of amusement, theaters, furniture factories and cleaning companies. Use with cleaning agent: carpet water of dry foam.

HT-2020

High pressure floor cleaner

Technical Specification	
Maximum Pressure	275Bar/450aBar
Maximum Flow Rate	2400/H / 3000/H
Max Temperature(°F/°C):	100° C
Maximum RPM:	3000
Net weight:	9.1Kg
Gross weight:	10.1Kg
Packing:IPC	105x61x30cm

Features:

High-pressure washing machine is a machine which washes the surface of objects by high-pressure water produced by the high-speed rotator of the high-pressure washing machine through the external pump device.



HT-2020

HT-2030

High pressure floor cleaner

Technical Specification	
Maximum Flow Rate	4500/H
Max Temperature(°F/°C):	100° C
Maximum RPM:	80CM
Net weight:	7.56Kg
Gross weight:	8.5Kg
Packing:IPC	105x48x30cm




HT-2030

High Pressure Cleaner

HT-2150

High Pressure Cleaner



Technical Specification:	
temperature:	≤ 40°C
Flow rate:	11L/min
Rated pressure:	150Bar[8Mpa]
Voltage:	220V
Frequency:	50Hz
Current carrying:	15A
Motor:	3.0KW/220V
Total power:	3000W
Speed:	1430r/min
Net weight:	51Kg
Gross weight:	55Kg
Packing:IPC	700X530X460MM
Accessories:	main body, inlet pipe, out pipe, nozzle, Four sprinklers

Features:

The washer is convenient to move and easy to operate, which is a technical breakthrough made by our company on this product. It has a lot of advantages, including compact structure, small overall dimension, stable performance, novel appearance, practical and safe, etc. It adopts a double water sealing structure, which make the low pressure leakage flowing back to the pump, lengthening its service life.

HT-2000

High Pressure Cleaner

Features:

The washer is convenient to move and easy to operate, which is a technical breakthrough made by our company on this product. It has a lot of advantages, including compact structure, small overall dimension, stable performance, novel appearance, practical and safe, etc. It adopts a double water sealing structure, which make the low pressure leakage flowing back to the pump, lengthening its service life.



Technical Specification:	
temperature:	≤ 40°C
Flow rate:	10.7L/min
Rated pressure:	80Bar[8Mpa]
Voltage:	220V
Frequency:	50Hz
Current carrying:	15A
Motor:	1.8kw/220V
Total power:	2100W
Speed:	2888r/min
Net weight:	39.8kg
Gross weight:	50.8kg
Packing:IPC	760x550x540mm
Accessories:	main body, inlet pipe, out pipe, nozzle, pressure gage

SPEED BLOWER SERIES

HT-900&HT-901

Hao Tian 3-Speed Blower

Technical Specification		
Power:	900W	
Voltage:	220V-240V	
Rotation speed:	High Medium low	
Air flow rate:	160,130,110m³/min	
Length of the cable:	7M	
	HT-900	HT-901
Net weight:	19.6kg	13.5kg
Gross weight:	22.2kg	15.5kg
Packing: IPC	535x410x620mm	570x420x560mm

Features:

Beautiful appearance, durability strong, front handle, double rear telescopic mobile, easy to use, stall speed, meet the needs of different environments.



HT-901



HT-900



LC-900

HT-900R

Hao Tian Electric Hot Blower

Technical Specification			
Power:	3200W		
Voltage:	220V-240V~		
Motor speed:	967rpm/min		
Wind speed:	third gear	second gear	First gear
	10m/s	9m/s	8m/s
Hot blast temperature:	third gear	second gear	First gear
	41°C	43°C	45°C
Length of the cable:	7M		
Net weight:	18.6kg		
Gross weight:	21.0kg		
Packing: IPC	630x420x620mm		

产品性能特点:

该款电热风机操作方便, 使用安全、能有效快速吹干的优点。特别适用于宾馆、酒店、办公大楼、展览场所等, 吹干地毯、地面。如关闭加热器开关, 只开风机还可以作通内散热功能。

Features:

The electric hot blower has the advantages of easy operation, application safety, and effective quick drying. It is especially suitable for hotel, grogshop, office building, exhibition venues to dry carpet and ground. Closing the heater switch, and only opening fan can also be as the cooling function.



HT-900R

BRUSH MACHINE SERIES

HT-213

Manual Sweeper

Technical Specification	
Cleaning model:	Double rotating brushes
Cleaning width:	1050mm
Cleaning rate:	3800-4000m ² /h
Dust bin capacity:	58L
Net weight:	23kg
Gross weight:	25kg
Body size:	1035x1050x1300mm



HT-213

HT-009

Foam Machine

Technical Specification		
Voltage:	220V-240V	
Frequency:	50Hz	
Power:	70W	
Capacity:	15L	
Air pump:	220V/14W	
Water pump:	220V/56W	
Foaming rate:	0.05m ³ /min	
Volume:	21x27x48cm	
Weight:		
Safety grade:	II 级	
Packing:	1 forming/box	560x320x320mm
Color:	  	



HT-009

HT-009A

Foam Machine

Technical Specification		
Voltage:	220V	
Frequency:	50Hz	
Power:	70W	
Capacity:	4L	
Foaming rate:	0.05m ³ /min	
Safety grade:	II 级	
Packing:	1 forming/box	285x285x470mm
Color:	 	



HT-009A

BRUSH MACHINE SERIES

HT-13

Aggravating Polished Retreading Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	750W
Length of the cable:	12m
Base plate diameter:	Ø 13"
Noise:	≤60dba
Weight:	36kg
Handle packing size:	355x115x1150mm
Motor packing size:	450x350x350mm
Rotation mode:	Planetary gear rotation
Accessories: main body, handle, water tank, hard brush, soft brush, pad holder.	



HT-13

PBD1A

Multi-functional Brushing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50Hz
Power:	1100W
Current:	6.6A
Brush rotation speed:	175rpm/min
Noise:	≤ 54dB
Brush diameter:	Ø 430mm
Length of the cable:	12m
Gross weight:	46kg
Net weight:	43kg
Handle packing size:	490x150x1140mm
Motor packing size:	570x440x370mm
Accessories: main body, Handle, water tank, pad holder, hard brush, soft brush	



PBD1A

Features:

The machine adopts imported technology, specially designed for motor eccentric side not the median, the weight and the centrifugal force is balanced, convenient and labor-saving operation. Central water, reduce detergent consumption and convenient cleaning carpet.

BRUSH MACHINE SERIES

PBD3A

Brushing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50Hz
Power:	1800W
Current:	6.6A
Brush rotation speed:	170pm/min
Noise:	≤ 54dB
Brush diameter:	Ø 457mm
Length of the cable:	12m
Net weight:	50kg
Gross weight:	53kg
Handle packing size:	490x150x1140mm
Motor packing size:	585x480x370mm
Accessories: main body, handle, water tank, pad holder, hard brush, weighting iron.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



PBD3A

PBD4A

Stone Treatment Weighing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50Hz
Power:	2200W
Current:	13.6A
Brush rotation speed:	175rpm/min
Noise:	≤ 54dB
Brush diameter:	Ø 18inch
Length of the cable:	12m
Net weight:	64.3kg
Gross weight:	67.5kg
Handle packing size:	490x150x1140mm
Motor packing size:	590x475x420mm
Accessories: main body, handle, water tank, weighting iron, hard brush, driving disk.	

PBD4A



Features:

The stone machine is used more and more widely, the configuration of fashion elegant appearance, special aluminum alloy shell, never rust, heat dissipation is particularly strong, 3 horsepower motor, provide a strong urge, remove any menace from the "rear" for your work, to strengthen the special configuration of gear box, aluminum alloy refurbished disc invincible brush buckle, work width 43 cm, butterfly operation handle matched fastening durable, water tank low center of gravity, in addition to a multifunctional washing out, according to the work need to be free to increase or decrease the weight, improve work efficiency, achieve the desired effect. Set the function of washing machine in a body, can do professional crystal stone or renovation process, suitable for factory buildings, hotels, shopping malls, especially cleaning company for daily care and special treatment of stone.

BRUSH MACHINE SERIES

HT-039 & HT-039H

Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Brush rotation speed:	175rpm/min
Base plate diameter:	Ø 18inch
Length of the cable:	12m
Weight:	50kg
Handle packing size:	420x100x1100mm
Motor packing size:	600x450x350mm
Accessories: main body, Handle, water tank, pad holder, hard brush, soft brush.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



HT-039

HT-039H

HT-175

175 Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Brush rotation speed:	175rpm/min
Base plate diameter:	Ø 17inch
Length of the cable:	12m
Weight:	48kg
Handle packing size:	490x150x1140mm
Motor packing size:	540x430x370mm
Accessories: main body, Handle, water tank, pad holder, hard brush, soft brush.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



HT-175

BRUSH MACHINE SERIES

HT-154

154 Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Brush rotation speed:	154rpm/min
Brush diameter:	Ø 17inch
Length of the cable:	12m
Weight:	48kg
Handle packing size:	490x150x1140mm
Motor packing size:	590x435x340mm
Accessories: main body, handle, water tank, pad holder, hard brush, soft brush.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



HT-154

HT-154B

154B Brushing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50Hz
Power:	1500W
Brush rotation speed:	154rpm/min
Brush diameter:	Ø 17inch
Length of the cable:	12m
Weight:	68kg
Handle packing size:	490x150x1140mm
Motor packing size:	590x435x340mm
Accessories: main body, handle, water tank, weighting iron, pad holder, hard brush, soft brush, driving disk.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



HT-154B

BRUSH MACHINE SERIES

HT-002

HT-002 Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Speed:	175rpm/min
Length of the cable:	12m
Brush diameter:	17"
Weight:	48kg
Handle packing size:	355x115x1150mm
Motor packing size:	520x430x350mm
Accessories: main body,handle,water tank,pad holder, hard brush,soft brush.	



HT-002

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing, low-speed polishing, floor crystal effect treatment and renewing.

HT-004

Floor Renewing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1500W
Speed:	154rpm/min
Length of the cable:	12m
Brush diameter:	17"
Weight:	68kg
Handle packing size:	375x126x1133mm
Motor packing size:	560x450x325mm
Accessories: main body, handle, water tank, weighting iron, pad holder, hard brush, soft brush, driving disk.	



HT-004

BRUSH MACHINE SERIES

HT-005

HT-005 Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Speed:	154rpm/min
Length of the cable:	12m
Brush diameter:	17"
Weight:	48kg
Handle packing size:	355x115x1150mm
Motor packing size:	570x450x325mm
Accessories:	main body,handle,water tank,pad holder,hard brush,soft brush.

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing, low-speed polishing, floor crystal effect treatment and renewing.



HT-005

HT-040

Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Speed:	175RPM/min
Length of the cable:	12m
Brush diameter:	17"
Net weight:	66kg
Gross weight:	74kg
Packing: 1PC	740X560X1000mm
Accessories:	main body,handle,water tank,pad holder,hard brush,soft brush



HT-040

BRUSH MACHINE SERIES

HT-041

Floor Renewing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1500W
Speed:	175RPM/min
Length of the cable:	12m
Brush diameter:	18"
Weight:	68kg
Handle packing size:	500x80x1230mm
Motor packing size:	580x475x350mm
Accessories: main body, handle, water tank, weighting iron, pad holder, hard brush, driving disk.	



HT-041

HT-041F

Aggravating Polished Retreading Machine

Technical Specification	
Voltage:	220V
Frequency:	50Hz
Power:	1800W
Speed:	175rpm/min
Length of the cable:	12m
Base plate diameter:	Ø18"
Noise:	≤60dba
Weight:	52kg
Handle packing size:	500x80x1230mm
Motor packing size:	610x460x360mm
Rotation mode:	Planetary gear rotation
Accessories: main body, handle, water tank, weighting iron, pad holder, hard brush, driving disk.	



HT-041F

BRUSH MACHINE SERIES

HT-041A

Aggravating Polished Retreading Machine

Technical Specification	
Voltage:	220V
Frequency:	50Hz
Power:	2200W
Speed:	175rpm/min
Length of the cable:	12m
Base plate diameter:	Ø20"
Weight:	88kg
Handle packing size:	480x80x1200mm
Motor packing size:	650x560x430mm
Rotation mode:	Planetary gear rotation
Accessories: main body, handle, water tank, weighting iron, pad holder, hard brush, driving disk.	



HT-041A

HT-038

Split type Multi-function Floor Machine

Technical Specification	
Voltage:	220V
Frequency:	50Hz
Power:	1100W
Speed:	175rpm/min
Length of the cable:	12m
Base plate diameter:	Ø10" & Ø17"
Noise:	≤60dBa
Weight:	38.7kg
Handle packing size:	420x100x1150mm
Motor packing size:	565x465x400mm
Rotation mode:	Planetary gear rotation
Accessories: Ø10" hard brush. Ø10"soft brush. Ø17" hard brush. Ø17"soft brush. Ø17" pad holder. water tank	



HT-039T

Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Brush rotation speed:	175rpm/min
Base plate diameter:	Ø 18inch
Length of the cable:	12m
Weight:	50kg
Handle packing size:	420x100x1150mm
Motor packing size:	600x450x350mm
Accessories: main body, Handle, water tank, pad holder, hard brush, soft brush.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



HT-039T

HT-002T

HT-002T Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Speed:	175rpm/min
Length of the cable:	12m
Brush diameter:	17"
Weight:	48kg
Handle packing size:	430x115x1120mm
Motor packing size:	520x430x350mm
Accessories: main body, handle, water tank, pad holder, hard brush, soft brush.	

Features:

It's super high power air-cooling motor and double-capacitor design allow a safer operation. It provides a strong power output. It has multiple function such as carpet and cleaning, wax removing low-speed polishing floor crystal effect treatment and renewing.



HT-002T

BRUSH MACHINE SERIES

HT-004T

Floor Renewing Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1500W
Speed:	154rpm/min
Length of the cable:	12m
Brush diameter:	17"
Weight:	68kg
Handle packing size:	430x115x1120mm
Motor packing size:	560x450x325mm
Accessories: main body, handle, water tank, weighting iron, pad holder, hard brush, fast brush, driving disk.	



HT-004T

HT-005T

HT-005T Multi-function Floor Machine

Technical Specification	
Voltage:	220V-240V
Frequency:	50/60Hz
Power:	1100W
Speed:	154rpm/min
Length of the cable:	12m
Brush diameter:	17"
Weight:	48kg
Handle packing size:	430x115x1120mm
Motor packing size:	570x450x325mm
Accessories: main body, handle, water tank, pad holder, hard brush, soft brush.	



HT-005T

Features:

It's super high power air-cooling motor and the double-capacitor design allow a safer operation. It provides a strong power output. It has multiple functions such as carpet and floor cleaning, wax removing, low-speed polishing, floor crystal effect treatment and renewing.

BACKPACK VACUUM CLEANER

BXC1A & BXC2A Backpack Vacuum Cleaner

Technical Specification		
Capacity:	5L	
Power:	1000W	
Voltage:	220V~240V	
Mode of cooling:	Circulating air cooling	
Air flow rate:	48L/S	
Vacuum suction:	190mbar	
Length of the cable:	18m	
Hose diameter:	Ø 36mm	
	BXC1A	BXC2A
Net weight:	8.1kg	8.3kg
Gross weight:	9.2kg	9.5kg
Packing:IPC	577x357x300mm	

Features:

The machine weighs only 11 pounds (5kg) is the world's best design back type vacuum cleaner. Equipped with a full set of standard parts, easy to clean air or on the ground, the body design is excellent, use shoulder comfort. Narrow channel in terms of environment, pipeline, escalators can be free to use.



BXC1A



BXC2A

INDUSTRIAL VACUUM CLEANER

GXC1A & GXC2A

Industrial Vacuum Cleaner

Technical Specification	GXC1A	GXC2A
Voltage:	220V/50Hz	380VAC/50Hz
Power:	3000W	2200W
Current:	13.6A	10A-5.6A
Hose length:	1.3m	5m
Water absorption length:	760mm	490mm
Maximum flow rate:		318m ³ /n
Minimum suction:		7.6inhg
Maximum suction:		8inhg
noise:	89db(A)	69db(A)
Dust separation material:	4660cm ²	4660cm ²
Joint diameter:	40mm	40mm
Filter element:	1mm	1mm
capacity:	60/80/110L	60 L
Vacuum suction:	250mbar	
Cooling mode:	Circulating air cooling	
Gas flow:	106L/S	
function:	Dust collection	Dust collection
Length of the cable:	8m	8m
Net weight:		
Gross weight:		
Product size:		
Packing:IPC		



GXC1A



GXC2A

产品性能特点:

采用三相高压真空泵，使吸力更为强劲。高技术消音，使运动更加平静。附加工具箱，使用更方便。

Features:

Three phase high pressure vacuum pump is used to make suction stronger. High tech noisereduction makes the movement more peaceful. Additional toolsThe box is more convenient to use.

Turbo suction machine

GXC3A

Turbo suction machine



Filter screen, floating ball rack



Switch control box




Overload switch and safe transfer plu



Turbo motor

g



Drain hose



Hose



Water squeegee

Technical Specification			
Voltage	220v/50Hz	Tank diameter	Ø 570mm
Power	1.5KW	Vacuum suction	27Kpa
Current	10A-5.6A	Cooling mode	Circulating air cooling
Hose length	1m	function	Water collection
Water absoption length	1m	Maximum flow rate	318m³/h
noise	74db(A)	Hose diameter	Ø 40mm
Gas flow	263m³/h	Net weight	68kg
Length of the cable	8m	Gross weight	96kg
capacity	220L	Product size	1220x650x1320mm
Height	890mm	Pacxkinipc	880x840x1390mm

Features

GXC3A turbo suction machine is a vacuum turbine motor with super suction, equipped with a capacity of 220L. Large iron buckets are convenient for frequent dumping of garbage and sewage during use. At the same time, large wheels are used for easy movement. The fuselage is light, strong and durable, can work continuously for a long time, suitable for floor workplaces and other places.

VACUUM CLEANER SERIES

HT-10S

10L Mute Type Vacuum Cleaner

Technical Specification:	
Function:	Vacuum
Capacity:	10L
Power:	1200W
Voltage:	220V
Mode of cooling:	Circulating air cooling
Vacuum suction:	180mbar
Length of the cable:	7M
Net weight:	6.1kg
Gross weight:	7.5kg
Packing: 1 PC	440x440x490mm
Accessories: dust vacuuming head, soft tube, round brush, Sofa vacuuming head, Long flat vacuuming head, Long connector, Short connector, plastic tube	



HT-10S

Features:

This machine has the advantages of small dimension, good portability, ultra-mute design, strong suction, multi-functional modules and convenient assembly, and it is suitable for the use in households, clubs, workshops, factory plants, office buildings and other large public places.

HT-15S

15L Mute Type Vacuum Cleaner

HT-15J

15L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Vacuum/Wet and dry
Capacity:	15L
Power:	1000W/1200W
Voltage:	220V
Mode of cooling:	Circulating air cooling
Vacuum suction:	180mbar
Length of the cable:	7M
Net weight:	7.4kg
Gross weight:	8.9kg
Packing: 1 PC	440x440x530mm
Accessories: dust vacuuming head, soft tube, round brush, Sofa vacuuming head, Long flat vacuuming head, Long connector, Short connector, plastic / steel tube	



HT-15S



HT-15J

Features:

This machine has the advantages of small dimension, good portability, ultra-mute design, strong suction, multi-functional modules and convenient assembly, and it is suitable for the use in households, clubs, workshops, factory plants, office buildings and other large public places.

VACUUM CLEANER SERIES

HT-30J

30L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	30L
Power:	1000W
Voltage:	220V
Mode of cooling:	Circulating air cooling
Vacuum suction:	180mbar
Length of the cable:	7M
Net weight:	8.3kg
Gross weight:	10.1kg
Packing: 1 PC	440x440x710mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Long connector, Short connector, bent steel tube	



HT-30J

Features:

This machine has the advantages of small dimension, good portability, ultra-mute design, strong suction, multi-functional modules and convenient assembly, and it is suitable for the use in households, clubs, workshops, factory plants, office buildings and other large public places.

HT60J-2 & HT60J-3

60L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification:		
Function:	Wet and dry	
Capacity:	60L	
Power:	2000W/3000W	
Voltage:	220V	
Height:	500mm	
Tank diameter:	Ø 440mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	106 L/S	
Vacuum suction:	250mbar	
Length of the cable:	8M	
Hose diameter:	Ø 40mm	
	HT60J-2	HT60J-3
Net weight:	22.3kg	24.3kg
Gross weight:	24.5kg	26.5kg
Packing:IPC	620 × 550 × 1050mm	
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Long connector, Short connector, bent steel tube		

HT60J-3
(Three motors)



Float Switch



HT60J-2
(Two motors)

Features : built-in float switch

The float switch in the vacuum cleaner automatically stops the water suction motor when the water reaches a certain level, preventing water from entering the water suction motor and thereby protecting it from damage.

VACUUM CLEANER SERIES

HT80J-2 & HT80J-3

80 L Stainless Steel Wet & Dry Vacuum Cleaner



HT80J-2
(Two motors)



HT80J-3
(Three motors)

Technical Specification:		
Function:	Wet and dry	
Capacity:	80L	
Power:	2000W/3000W	
Voltage:	220V	
Height:	500mm	
Tank diameter:	Ø 440mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	106 L/S	
Vacuum suction:	250mbar	
Length of the cable:	8M	
Hose diameter:	Ø 40mm	
	HT80J-2	HT80J-3
Net weight:	23.3kg	25.3kg
Gross weight:	25.5kg	27.5kg
Packing:IPC	620 × 550 × 1050mm	
Accessories: water vacuuming head, dust vacuuming head soft tube, round brush, Long connector, Short connector, bent steel tube		



Float Switch

Features : built-in float switch

The float switch in the vacuum cleaner automatically stops the water suction motor when the water reaches a certain level, preventing water from entering the water suction motor and thereby protecting it from damage.

VACUUM CLEANER SERIES

HT80J-3Y & HT110J-3Y

80L Vacuum cleaning and suction machine



HT80J-3Y
(Three motors)



HT110J-3Y
(Three motors)

Technical Specification:	
Function:	Wet and dry
Capacity:	80L/110L
Power:	2000W/3000W
Voltage:	220V
Height:	500mm
Tank diameter:	Ø 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	106 L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	Ø 40mm
HT80J-3Y & HT110J-3Y	
Net weight:	35.25kg/38.25kg
Gross weight:	37.45kg/40.45kg
Packing:IPC	HT80J-3Y:650x580x1110mm
Packing:IPC	HT110J-3Y:650x590x1360mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Long connector, Short connector, bent steel tube	



Float Switch

Features : built-in float switch

The float switch in the vacuum cleaner automatically stops the water suction motor when the water reaches a certain level, preventing water from entering the water suction motor and thereby protecting it from damage.

VACUUM CLEANER SERIES

YJ-1020

Lotclean 20L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	20L
Power:	1000W
Voltage:	220V-240V
Height:	500mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	50L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	8.4kg
Gross weight:	10kg
Packing:IPC	450x415x570mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic tube	



Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

YJ-1032

Lotclean 32L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	32L
Power:	1000W
Voltage:	220V-240V
Height:	620mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	55L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	9.2kg
Gross weight:	11.2kg
Packing:IPC	450x415x675mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic tube	



VACUUM CLEANER SERIES

YJ-1245

Lotclean 45L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	45L
Power:	1000W
Voltage:	220V-240V
Height:	900mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	70L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 40mm
Net weight:	16.4kg
Gross weight:	18.4kg
Packing:IPC	505x490x855mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, long flat vacuuming head, long connector, short connector, bent steel tube	



Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision. Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

YJ-1232

Lotclean 32L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	32L
Power:	1000W
Voltage:	220V-240V
Height:	890mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	55L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	11.6kg
Gross weight:	13.6kg
Packing:IPC	450x415x675mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic tube	



VACUUM CLEANER SERIES

BS-1020A

Bass 20L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	20L
Power:	1000W
Voltage:	220V-240V
Height:	500mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	50L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	9.27kg
Gross weight:	11.27kg
Packing:IPC	450x415x605mm

Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, straight tube



BS-1032A

Bass 32L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	32L
Power:	1000W
Voltage:	220V-240V
Height:	620mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	55L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	10.04kg
Gross weight:	12.04kg
Packing:IPC	450x415x710mm

Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic tube



Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

BS-1232A

Bass 32L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	32L
Power:	1000W
Voltage:	220V-240V
Height:	890mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	50L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	11.06kg
Gross weight:	13.06kg
Packing:IPC	450x415x710mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic tube	



BS-1245A

Bass 45L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	45L
Power:	1000W
Voltage:	220V-240V
Height:	900mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	70L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 40mm
Net weight:	17.25kg
Gross weight:	19.25kg
Packing:IPC	505x490x890mm
Accessories: steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

BS-1020B

Bass 20L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	20L
Power:	1000W
Voltage:	220V-240V
Height:	500mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	50L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	8.55kg
Gross weight:	10.55kg
Packing:IPC	450x415x580mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, straight tube	



BS-1032B

Bass 32L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	32L
Power:	1000W
Voltage:	220V-240V
Height:	620mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	55L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	9.32kg
Gross weight:	11.32kg
Packing:IPC	450x415x680mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, straight tube	



Features:


Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

BS-1232B

Bass 32L Wet & Dry Vacuum Cleaner


Technical Specification:	
Function:	Wet and dry
Capacity:	32L
Power:	1000W
Voltage:	220V-240V
Height:	890mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	50L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 36mm
Net weight:	10.34kg
Gross weight:	12.34kg
Packing:IPC	450x415x685mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, straight tube	



BS-1245B

Bass 45L Wet & Dry Vacuum Cleaner

Technical Specification:	
Function:	Wet and dry
Capacity:	45L
Power:	1000W
Voltage:	220V-240V
Height:	900mm
Tank diameter:	Ø 345mm
Mode of cooling:	Circulating air cooling
Air flow rate:	70L/S
Vacuum suction:	180mbar
Length of the cable:	7M
Hose diameter:	Ø 40mm
Net weight:	16.35kg
Gross weight:	18.35kg
Packing:IPC	505x490x860mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

HT-151A

15L One-motor Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	15L
Power:	1000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	48L/S
Vacuum suction:	210mbar
Length of the cable:	7M
Hose diameter:	ø 36mm
Net weight:	11.0kg
Gross weight:	12.5kg
Packing:IPC	430x430x540mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, steel tube	



HT-151A

HT-251A

25L One-motor Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	25L
Power:	1000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	53L/S
Vacuum suction:	230mbar
Length of the cable:	7M
Hose diameter:	ø 40mm
Net weight:	12.8kg
Gross weight:	15.0kg
Packing:IPC	430x430x660mm
Accessories: steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT-251A

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision. Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.


VACUUM CLEANER SERIES

HT-581A & HT-581A-S HT-582A & HT-582A-S 58L Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	58L
Power:	1000W/2000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	ø 40mm
Net weight:	27kg
Gross weight:	29kg
Packing:IPC	700x580x1030mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT-582A-S
(two-motor)



HT-581A-S
HT-582A-S
Plastic base



HT-581A

HT-582A-2W

58L Two-motor Wet & Dry Vacuum Cleaner With Squeegee

Technical Specification	
Function:	Wet and dry
Capacity:	58L
Power:	2000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	ø 40mm
Net weight:	27kg
Gross weight:	29kg
Packing:IPC	650x580x1000mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.



HT-582A-2W

VACUUM CLEANER SERIES

HT-772A & HT-772A-S HT-773A & HT-773A-S

77L Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	77L
Power:	2000W/3000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	ø 40mm
Net weight:	25.1kg
Gross weight:	29.5kg
Packing:IPC	700x580x1075mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT-773A-S
(Three-motor)



**HT-772A-S
HT-773A-S**
Plastic base



**HT-772A
HT-773A**

HT-772A-2W HT-773A-3W

77L Wet & Dry Vacuum Cleaner With squeegee

Technical Specification	
Function:	Wet and dry
Capacity:	77L
Power:	2000W/3000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	ø 40mm
Net weight:	28kg
Gross weight:	31kg
Packing:IPC	650x580x1110mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT-772A-2W
(two-motor)



Plastic base



**HT-772A-2W
HT-773A-3W**

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

HT-151

15L One-motor Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	15L
Power:	1000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	48L/S
Vacuum suction:	210mbar
Length of the cable:	7M
Hose diameter	ø 36mm
Net weight:	8.1kg
Gross weight:	8.7kg
Packing:IPC	430x430x540mm
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, steel tube	



HT-151

HT-251

25L One-motor Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	25L
Power:	1000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	53L/S
Vacuum suction:	230mbar
Length of the cable:	7M
Hose diameter:	ø 40mm
Net weight:	12.8kg
Gross weight:	15.0kg
Packing:IPC	430x430x660mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT-251

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

HT-581 & HT-581-S HT-582 & HT-582-S 58L Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	58L
Power:	1000W/2000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	ø 40mm
Net weight:	27kg
Gross weight:	29kg
Packing:IPC	700x580x1030mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT-582-2W 58L Two-motor Wet & Dry Vacuum Cleaner With squeegee

Technical Specification	
Function:	Wet and dry
Capacity:	58L
Power:	2000W
Voltage:	220V-240V
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	ø 40mm
Net weight:	27kg
Gross weight:	29kg
Packing:IPC	650x580x1000mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision. Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.



VACUUM CLEANER SERIES

LC15B

LC15

LICHI 15L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification		
Function:	Wet and dry	
Capacity:	15L	
Power:	1000W	
Voltage:	220V-240V	
Height:	55cm	
Tank diameter:	Ø 345mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	48L/S	
Vacuum suction:	210mbar	
Length of the cable:	7M	
Hose diameter:	Ø 36mm	
	LC15	LC15B
Packing:IPC	440x440x560mm	415x415x550mm
Net weight:	11.0kg	9.68kg
Gross weight:	12.6kg	10.9kg
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic / steel tube		



LC30B

LC30

LICHI 30L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification		
Function:	Wet and dry	
Capacity:	30L	
Power:	1000W	
Voltage:	220V-240V	
Height:	76cm	
Tank diameter:	Ø 345mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	53L/S	
Vacuum suction:	210mbar	
Length of the cable:	7M	
Hose diameter:	Ø 36mm	
	LC30	LC30B
Packing:IPC	440x440x750mm	415x415x760mm
Net weight:	12.0kg	11.35kg
Gross weight:	13.9kg	12.95kg
Accessories: plastic / steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector		



Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

LC60-2B & LC60-3B

LC60-2 & LC60-3

LICHI 60L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification		
Function:	Wet and dry	
Capacity:	60L	
Power:	2000W/3000W	
Voltage:	220V-240V~	
Height:	90cm	
Tank diameter:	Ø 440mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	106L/S	
Vacuum suction:	250mbar	
Length of the cable:	8M	
Hose diameter:	Ø 40mm	
	LC60-2/LC60-3	LC60-2B/LC60-3B
Packing:IPC	620x550x970mm	630x555x980mm
Net weight:	21.5kg	21.9kg
Gross weight:	24.6kg	24.1kg

Accessories: bent steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector



LC60-2B
(Two-motor)



LC60-3
(Three-motor)

LC80-2 & LC80-3

LICHI 80L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	80L
Power:	2000W/3000W
Voltage:	220V-240V~
Height:	100cm
Tank diameter:	Ø 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	Ø 40mm
Net weight:	22.5kg
Gross weight:	25.8kg
Packing:IPC	620x550x1050mm

Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector



LC80-3
(Three-motor)

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

LC80-2Y&LC80-3Y

LICHI 80L Wet & Dry Vacuum Cleaner With Squeegee

Technical Specification	
Function:	Wet and dry
Capacity:	80L
Power:	2000W/3000W
Voltage:	220V-240V~
Height:	100cm
Tank diameter:	Ø 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	Ø 40mm
Net weight:	33.3kg
Gross weight:	37.7kg
Packing:IPC	650x580x1110mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



LC80-3Y
(Three-motor)

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

LC90-2 & LC90-3

LICHI 90L wet & dry vacuum cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	90L
Power:	2000/3000W
Voltage:	220V-240V
Height:	920mm
Tank diameter:	Ø 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	120L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	Ø 40mm
Net weight:	26.0kg
Gross weight:	29.7kg
Packing:IPC	590x510x930mm
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



LC90-3
(Three-motor)

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

HT15B HT15

Hao Tian 15L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification		
Function:	Wet and dry	
Capacity:	15L	
Power:	1000W	
Voltage:	220V-240V	
Mode of cooling:	Circulating air cooling	
Air flow rate:	48L/S	
Vacuum suction:	210mbar	
Length of the cable:	7M	
Hose diameter:	ø 36mm	
	HT15	HT15B
Packing:IPC	440x440x570mm	415x415x525mm
Net weight:	10.5kg	9.68kg
Gross weight:	12.1kg	10.9kg
Accessories: water vacuuming head, dust vacuuming head, soft tube, round brush, Sofa vacuuming head, long flat vacuuming head, long connector, short connector, plastic / steel tube		



HT15B



HT15

HT30B HT30

Hao Tian 30L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification		
Function:	Wet and dry	
Capacity:	30L	
Power:	1000W	
Voltage:	220V-240V	
Height:	76cm	
Tank diameter:	ø 345mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	53L/S	
Vacuum suction:	230mbar	
Length of the cable:	7M	
Hose diameter:	ø 40mm	
	HT30	HT30B
Packing:IPC	440x440x760mm	415x415x720mm
Net weight:	11.5kg	11.35kg
Gross weight:	13.4kg	12.95kg
Accessories: plastic / steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector		



HT30B



HT30

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

HT60-2B & HT60-3B

HT60-2 & HT60-3

Hao Tian 60L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification		
Function:	Wet and dry	
Capacity:	60L	
Power:	2000W/3000W	
Voltage:	220V-240V	
Height:	90cm	
Tank diameter:	ø 440mm	
Mode of cooling:	Circulating air cooling	
Air flow rate:	106L/S	
Vacuum suction:	250mbar	
Length of the cable:	8M	
Hose diameter:	ø 40mm	
	HT60-2/HT60-3	HT60-2B/HT60-3B
Packing:IPC	620x550x970mm	630x550x980mm
Net weight:	21.1kg	21.9kg
Gross weight:	24.2kg	24.1kg
Accessories: bent tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector		



HT60-2B
(Two-motor)



HT60-3
(Three-motor)

HT80-2 & HT80-3

Hao Tian 80L Stainless Steel Wet & Dry Vacuum Cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	80L
Power:	2000W/3000W
Voltage:	220V-240V
Height:	100cm
Tank diameter:	∅ 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	∅ 40mm
Net weight:	22.0kg
Gross weight:	25.3kg
Packing:IPC	620x550x1070mm
Accessories: steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT80-3
(Three-motor)

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision, Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

VACUUM CLEANER SERIES

HT80-2Y&HT80-3Y

HAOTIAN 80L Wet & Dry Vacuum Cleaner With Squeegee

Technical Specification	
Function:	Wet and dry
Capacity:	80L
Power:	2000W/3000W
Voltage:	220V-240V~
Height:	100cm
Tank diameter:	Ø 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	106L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	Ø 40mm
Net weight:	34.1kg
Gross weight:	38.5kg
Packing:IPC	650x590x1120mm
Accessories: steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT80-3Y
(Three-motor)

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision. Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

HT90-2 & HT90-3

HAOTIAN 90L wet & dry vacuum cleaner

Technical Specification	
Function:	Wet and dry
Capacity:	90L
Power:	2000/3000W
Voltage:	220V-240V
Height:	920mm
Tank diameter:	Ø 440mm
Mode of cooling:	Circulating air cooling
Air flow rate:	120L/S
Vacuum suction:	250mbar
Length of the cable:	8M
Hose diameter:	Ø40mm
Net weight:	26.0kg
Gross weight:	29.7kg
Packing:IPC	590x510x930mm
Accessories: steel tube, round brush, water vacuuming head, dust vacuuming head, long flat vacuuming head, soft tube, long connector, short connector	



HT90-2

Features:

Cooling system for the individual, used for long, can aspiration, water absorption oil absorption, acid and alkali resistance, corrosion resistance, collision. Can filter area of 3600 square meters, dust collection rate can amount to 99.8%, suitable for all kinds of large workshop, workshop, commercial office buildings, and the clean industry, accessories with all the rooms.

DUSTBIN SERIES

B-010A

68L Pedal dustbin

Technical Specification	
Capacity:	68L
Product size:	49.5x43.1x65.4cm
Packing:IPC	49x43x93cm 3 bins/box
Net weight:	14. 1kg
Gross weight:	12. 6kg



B-010A

B-010B

45L Pedal dustbin

Technical Specification	
Capacity:	45L
Product size:	41.5x40.5x59.4cm
Packing:IPC	44x41x92cm 3 bins/box
Net weight:	9.5kg
weight:	11.5kg



B-010B



B-010C

B-010C

30L Pedal dustbin

Technical Specification	
Capacity:	30L
Product size:	41.5x40.5x43cm
Packing:IPC	44x41x61.5cm 3 bins/box
Net weight:	6.6kg
weight:	8.0kg

B-151

Pedal dustbin

Technical Specification		
Product size:	20L	32.5×30×43.5cm
Product size:	40L	42×40×54cm
Packing:IPC	20L	6 bins/box
Packing:IPC	40L	4 bins/box
Net weight:	20L	2.08kg
Net weight:	40L	3.2kg



40L
B-151B



20L
B-151A

*Note: Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

DUSTBIN SERIES

B-013

58L Quadrate gathering bin

Technical Specification	
Capacity:	58L
Product size:	45.5x32x75cm
Packing:IPC	63x48x79.5cm 10 bins/box
Colour:	



B-013

B-014

42L Quadrate gathering bin

Technical Specification	
Capacity:	42L
Product size:	43x31x60cm
Packing:IPC	65x43x78cm 10 bins/box
Colour:	



B-014

B-015

23L Quadrate gathering bin

Technical Specification	
Capacity:	23L
Product size:	35.5x25.5x50cm
Packing:IPC	54x37x70cm 10 bins/box
Colour:	



B-015

*Note: Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

DUSTBIN SERIES

B-110A

Hand push type tilt container

Technical Specification	
Capacity:	450L
Product size:	145x75x105cm
Net weight(No shelves):	18kg
Thickness:	6MM
Colour:	



B-110A

B-110B

B-110B

Hand push type tilt container

Technical Specification	
Capacity:	350L
Product size:	138x60x90cm
Net weight(No shelves):	12kg
Thickness:	5MM
Colour:	

B-109

Outdoor garbage cart

Technical Specification	
Capacity:	660L
Product size:	125x76x120cm
Colour:	



B-109

D-103

Outdoor classification dustbin

Technical Specification	
Product size:	1000x380x1000mm
Packing:	1015x415x1015mm



D-103

***Note:** Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

CIRCULAR DUSTBIN

B-102

120L Circular dustbin

Technical Specification			
Capacity:	120L		
Product size:	Ø 56x82cm		
Packing:	57x57x106.5cm	3bins/box	
Colour:			



B-102

B-100

Add bucket

Technical Specification			
Capacity:	15L		
Packing:	62x32x55cm	10bins/box	
Colour:			



B-100

D-088

Infant stool

Technical Specification	
Products size:	66x60x31cm
Packing:	66.5x60.5x31.5cm
Net weight:	7.52kg
Gross weight:	9kg



D-088

B-153

Felt squeegee



*Note: Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

PORTABLE TOOLS

B-041

Twin bucket

Technical Specification	
Product size:	36.8x45.7x25.4cm
Packing: 84x42.7x49.7cm	10bins/box
Colour:	



B-041

B-039A

Tool bucket (L)

Technical Specification	
Product size:	38.1x32.8x17.5cm
Packing: 68.5x40x58cm	20bins/box
Colour:	



B-039A



B-039B

B-039B

Tool bucket (S)

Technical Specification	
Product size:	38.1x27.3x17.5cm
Packing: 57x41x54cm	20bins/box
Colour:	

B-036

Foot pedal extracting bucket

Technical Specification	
Capacity:	15L
Product size:	31x36cm
Packing: 48x32.5x40cm	1 bins/box
Colour:	



B-036

B-042B

14L extracting bucket

Technical Specification	
Capacity:	14L
Product size:	35x24x30cm
Packing: 55x38x43cm	10bins/box
Net weight:	7.7kg
Gross weight:	8.7kg
Colour:	



B-042B

*Note: Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

WRINGER TROLLEY

B-038

Wringer trolley

Technical Specification	
Capacity:	20L
Product size:	40x27x34cm
Packing:IPC	46.5x27x29cm 1 PC/box
Net weight:	3.5kg
Gross weight:	4.0kg
Colour:	   



B-038



B-038



B-038

B-038A

Wringer trolley

Technical Specification	
Capacity:	20L
Product size:	40x27x34cm
Packing:IPC	46.5x27x29cm 1 PC/box
Net weight:	3.0kg
Gross weight:	3.5kg
Colour:	   



B-038A

Features:

It is made of new high-graded plastic, it is light, handy and offers comfortable operation.

WRINGER TROLLEY

B-040CA

Side-press wringer trolley

Technical Specification	
Capacity:	24L
Product size:	40x27x34cm
Packing:IPC 84x42x38cm	1 PC/box
Net weight:	4.5kg
Gross weight:	5.3kg
Colour:	  

B-040CA



B-040DA

Side-press wringer trolley

Technical Specification	
Capacity:	32L
Product size:	40x27x34cm
Packing:IPC 84x42x38cm	1 PC/box
Net weight:	4.1kg
Gross weight:	4.9kg
Colour:	  

B-040DA



*Note:Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

WRINGER TROLLEY

B-043

Side-press double mop wringer trolley

Technical Specification		
Capacity:	60L	
Product size:	40x27x34cm	
Packing:IPC	84x42x38cm	1 台/箱 1 PC/box
Net weight:	10.0kg	
Gross weight:	11.5kg	
Colour:	  	



B-043

B-046E

Single mop wringer trolley

Technical Specification	
Capacity:	36L
Product size:	59.5x33.5x83.5cm
Packing:IPC	54.5x34.5x37cm 1 pcs/box
Net weight:	6.7kg
Gross weight:	7.5kg
Colour:	



B-046E

*Note:Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

WRINGER TROLLEY

B-046B

Single mop wringer trolley

Technical Specification	
Capacity:	36L
Product size:	55x39x91cm
Packing:IPC 53.5x42.5x36cm	1 pcs/box
Net weight:	6.6kg
Gross weight:	7.5kg
Colour:	  



B-046B

B-046C

Single mop wringer trolley

Technical Specification	
Capacity:	24L
Product size:	52x36x90cm
Packing:IPC 46x37x42.5cm	1 pcs/box
Net weight:	5.3kg
Gross weight:	6.1kg
Colour:	  



B-046C

B-046D

Single mop wringer trolley

Technical Specification	
Capacity:	32L
Product size:	54x38x90cm
Packing:IPC 51.5x38x33.5 cm	1 pcs/box
Net weight:	6.0kg
Gross weight:	7.2kg
Colour:	  



B-046D

*Note:Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

WRINGER TROLLEY

B-044

Single mop wringer trolley

Technical Specification	
Capacity:	30L
Product size:	40x38x49cm
Packing:IPC 44x42x51.5cm	1 PC/box
Net weight:	7.3kg
Gross weight:	8.5kg
Colour:	Yellow Red Blue

Features:

It is made of new high-graded plastic, it is light, handy and offers comfortable operation.



B-044

B-045

Side-press double mop wringer trolley

Technical Specification	
Capacity:	60L
Product size:	40x27x34cm
Packing:IPC 80x43x44.5cm	1 台/箱 1 PC/box
Net weight:	8.2 kg
Gross weight:	9.3 kg
Colour:	Yellow Red Blue



B-045

B-043B

Side-press double mop wringer trolley

Technical Specification	
Capacity:	60L
Product size:	40x27x34cm
Packing:IPC 84x43x50cm	1 PC/box
Colour:	Yellow Red Blue



B-043B

WRINGER TROLLEY

B-040

Single mop wringer trolley

Technical Specification	
Capacity:	36L
Product size:	55x39x91cm
Packing:IPC	53.5x42.5x36cm
	1 pc/box
Net weight:	7.3kg
Gross weight:	8.3kg
Colour:	   



B-040

B-040C

Single mop wringer trolley

Technical Specification	
Capacity:	24L
Product size:	52x36x90cm
Packing:IPC	46x37x42.5cm
	1 pc/box
Net weight:	5.53kg
Gross weight:	6.30kg
Colour:	   



B-040C

B-040D

Single mop wringer trolley

Technical Specification	
Capacity:	32L
Product size:	54x38x90cm
Packing:IPC	53.5x42.5x36cm
	1 pc/box
Net weight:	6.0kg
Gross weight:	7.0kg
Colour:	   



B-040D

*Note:Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

CLEANING CAR SERIES

D-011

Multipurpose cleaning cart

Technical Specification	
Products size:	114x51x98cm
Packing: 88x26x54.5cm	1 bins/box
Colour:	  



D-011



D-011

D-011-B

Multipurpose cleaning cart with cover

Technical Specification	
Products size:	114x51x98cm
Packing: 88x26x54.5cm	1 bins/box
Colour:	  



D-011-B



D-011-B

D-022

X garbage cleaning cart

Technical Specification	
Products size:	71x66x95cm
Packing: 34x34x107cm	1 bins/box



D-022

D-017

Guest room service cart

Technical Specification	
Products size:	148x55x120cm
Packing: 148x55x100cm	1 bins/box

D-017B

Guest room service cart (with door)

Technical Specification	
Products size:	148x55x120cm
Packing: 148x55x100cm	1 bins/box



D-017B



D-017

CLEANING CAR SERIES

D-014A

Three-tier stainless steel dinning car

Technical Specification	
Products size:	75x40x90cm (S)
	85x45x90cm (M)
	95x50x90cm (L)

D-014B

Stainless steel bowl car

Technical Specification	
Products size:	75x40x83.5cm (S)
	85x45x90cm (M)
	90x50x90cm (L)

D-014C

Stainless steel drink car

Technical Specification	
Products size:	75x40x90cm (S)
	85x45x90cm (M)
	90x50x90cm (L)



D-014A



D-014B



D-014C

D-016B

New Dinner collector cart

Technical Specification	
Products size:	80x44x93cm
Packing: 80x21x83.5cm	1 bins/box

D-016B



D-018


Guest room service cart

Technical Specification	
Products size:	148x55x100cm
Packing: 150x56x38cm	1 bins/box

D-018B

Guest room service cart (with door)

Technical Specification	
Products size:	148x55x100cm
Packing: 150x56x38cm	1 bins/box



D-018

D-018B

CLEANING CAR SERIES

D-023

Large laundry cart

Technical Specification	
Products size:	95x58x89cm
Colour:	☐



D-024

D-023

D-024

Medium laundry cart

Technical Specification	
Products size:	65x45x83cm
Colour:	☐

D-026

Rectangle laundry cart

Technical Specification	
Products size:	92x56x89cm
Packing: 96.5x11x63cm	1个/箱 1 bins/box



D-026

D-027

D-027

X laundry cart

Technical Specification	
Products size:	68x59x105cm
Packing: 117x21.5x65cm	1 bins/box

D-025A

Big laundry cart

Technical Specification	
Products size:	124x73x83cm
Colour:	☐

D-025B

Small laundry cart

Technical Specification	
Products size:	113x73x83cm
Colour:	☐



D-025A

D-025B

CLEANING CAR SERIES

YJ-01

Multipurpose cleaning cart(double door)

Technical Specification	
Products size:	170x80x120cm
Products size:	86.5x55x89.5cm
Net weight:	35.5kg
Gross weight:	37.5kg

YJ-01



YJ-02

Multipurpose cleaning cart(double door)

Technical Specification	
Products size:	130x80x120cm
Products size:	86.5x57.5x41cm
Net weight:	19kgs
Gross weight:	21kgs

YJ-02



YJ-09

Toolbox

Products size:	55x36.5x36cm (two pcs)
Net weight:	5kg
Gross weight:	5.5kg

YJ-03

Multipurpose cleaning cart(double door)

Technical Specification	
Products size:	130x80x91.5cm
Products size:	86.5x57.5x41cm
Net weight:	14kg
Gross weight:	16kg

YJ-03



YJ-04

Multipurpose cleaning cart(wringer trolley)

Technical Specification	
Products size:	130x80x91.5cm
Products size:	86.5x57.5x47cm
Net weight:	19kg
Gross weight:	21kg

YJ-04



CLEANING CAR SERIES

YJ-05

Multipurpose cleaning cart(aluminium profile)

Technical Specification	
Products size:	130x80x120cm
Products size:	86.5x55.5x43cm
Net weight:	23.5kg
Gross weight:	25.5kg

YJ-05



YJ-06

Multipurpose cleaning cart

Technical Specification	
Products size:	130x80x108cm
Products size:	86.5x53x34.5cm
Net weight:	16kg
Gross weight:	18kg

YJ-06



YJ-07

Multipurpose cleaning cart(wringer trolley)

Technical Specification	
Products size:	130x80x120cm
Products size:	95x53x41.5cm
Net weight:	24kg
Gross weight:	26kg

YJ-07



YJ-08

Stainless steel cleaning cart

Technical Specification	
Products size:	82x70.5x87cm
Products size:	79x55.5x32.5cm
Net weight:	6kg
Gross weight:	7kg

YJ-08



CAUTION BOARD

The shape of A caution board

Technical Specification	
Packing: 31*29*62.5 mm	10 pcs/box
Colour:	



B-131B~B-149B



B-131



B-132



B-133



B-134



B-135



B-136



B-137



B-138



B-139



B-140



B-141



B-142



B-143



B-144



B-146



B-147



B-148



B-149

CAUTION BOARD

Small caution board

Technical Specification	
Product size:	34.5x32x95cm
Packing:	34.5x32x95cm 6 pcs/box
Colour:	



B-111



B-112



B-113



B-114



B-115



B-116



B-117



B-118



B-119



B-120



B-121

Large caution board

Technical Specification	
Product size:	32x32x117cm
Packing:	32.5x32.5x117.5cm 6 pcs/box
Colour:	



B-122



B-123



B-124



B-125



B-126



B-127



B-128




B-129



B-130

COMPARTMENT RACK


D-042A 9 compartment rack



D-042A

D-042A


D-042B 16 compartment rack



D-042B

D-042B


D-042C 20 compartment rack



D-042C

D-042C

D-042D 25 compartment rack



D-042C

D-042C

D-042E 36 compartment rack



D-042D



D-042D



D-042E



D-042E

Technical Specification	
Product size:	50x50x4.5cm
Packing: 51x51x56cm	12bins/box
Colour:	 

COMPARTMENT RACK

D-042F

49 compartment rack

D-042Q

Blank compartment rack

Technical Specification	
Product size:	50x50x4.5cm
Packing:	12bins/box
Colour:	 



D-042F

D-042F



D-042Q



D-042Q

D-042G

Blank compartment rack

D-042H

16 compartment rack

D-042I

20 compartment rack

Technical Specification	
Product size:	50x50x10cm
Packing:	6bins/box
Colour:	 



D-042G

D-042G



D-042H

D-042H



D-042H

D-042H



D-042I



D-042I

COMPARTMENT RACK

D-042J
9 compartment rack



D-042J

D-042K
36 compartment rack



D-042K

D-042L
The bottom of the basket



D-042L

D-042M
Bowl Compartment rack



D-042S
25 Compartment plate & Tray rack

Technical Specification	
Product size:	50x50x10cm
Packing:	6 bins/box
Colour:	 



D-042M



D-042S



COMPARTMENT RACK

D-042T

64 Compartment plate & tray rack

Technical Specification	
Product size:	50x50x10cm
Packing:	6 bins/box
Colour:	 



D-042T

D-042U

64 Compartment open plate & tray rack

Technical Specification	
Product size:	50x50x10cm
Packing:	6 bins/box
Colour:	 



D-042U

D-042P

Cutlery rack

Technical Specification	
Product size:	50x50x10cm
Packing:	6 bins/box
Colour:	 



D-042P

D-042R

Rack cart

Technical Specification	
Product size:	54.5x11x54.5cm
Packing:	2 bins/box
Colour:	 




D-042R

CLEANING TOOL


Luxury lobby mop

Technical Specification	
Model	PRODUCT SIZE
C-001	12" (34x16cm)
C-002	16" (43x16cm)
C-003	24" (63x16cm)
C-004	36" (92x16cm)
C-005	42" (112x16cm)
C-006	48" (122x16cm)
C-003B	60cm
C-004B	90cm



Microfiber lobby dust push

Technical Specification	
Model	PRODUCT SIZE
C-007	12" (34x16cm)
C-008	16" (43x16cm)
C-009	24" (63x16cm)
C-010	36" (92x16cm)
C-011	42" (112x16cm)
C-012	48" (122x16cm)
C-009B	60cm
C-010B	90cm



Microfiber lobby dust push

Technical Specification	
Model	PRODUCT SIZE
C-013B	24" (63x16cm)
C-014B	36" (92x16cm)


Features:

The yarn has a high content of cotton. The strands are closely made. It is good at collecting dust. Repeating washing won't make it loose. The back lining is made of synthetic fibre. It is highly abrasion-proof. The part that is easy to wear is thickened, allowing a long use.

***Note:** With handle of 1.25m or 1.5m




CLEANING TOOL



B-188

B-188
Luxury/Standard mop



Foldable

C-097

C-097
Spin mop

C-204 / C203

Luxury/Standard pressing mop

C-203B

Luxury pressing mop clip



C-203B



C-204

C-203

CLEANING TOOL

C-013 / C-014

Luxury/Standard mop

C-041A

Standard mop clip

C-041B

Standard mop clip



C-013

C-014



C-014A



C-041B

C-013E

Standard mop head

Packing: 80x40x35cm

50bins/bo

C-013F

Luxury mop head

Packing: 45x34x40cm

20bins/box



C-013E

C-013F


C-013G

C-013G

B Mop head

Telescopic aluminum lever

C-044~C-057		Technical Specification
Model	Product size	
C-044	0.6M	single level
C-045	1.2M	single level
C-046	1.2M	tow level
C-047	2.4M	tow level
C-048	3.0M	tow level
C-049	3.6M	tow level
C-050	4.0M	tow level
C-051	4.5M	two level
C-052	3.6M	three level
C-053	4.0M	three level
C-054	4.5M	three level
C-055	6.0M	three level
C-056	8.0M	three level
C-057	9.0M	three level



C-044~C-057

C-044~C-057

C-044 / C-057


Telescopic aluminum lever

C-044		Technical Specification
Product size:	18"	45cm
Packing:	50x28x45cm	20 bins/box

C-044		Technical Specification
Product size:	22"	55cm
Packing:	61x28x45cm	20 bins/box



C-044~C-057



C-044~C-057

C-038B

10 inch Long floor brush

Technical Specification		
Products size:	10inch	
Packing:	44x31.5x48cm	20bins/box
Packing:	148x18x15cm	20bins/box
Brush head	Gross weight: 9.5kg	Net weight : 8.5kg
Handle	Gross weight: 9kg	Net weight : 8kg

C-039B

18 inch Long floor brush

Technical Specification		
Products size:	18inch	
Brush head	Packing: 50x43x46.5cm	20bins/box
Handle	Packing: 148x18x15cm	20bins/box
Brush head	Gross weight: 14.7kg	Net weight : 13.7kg
Handle	Gross weight: 9kg	Net weight : 8kg

C-040B

24 inch Long floor brush

Technical Specification		
Products size:	24inch	
Brush head	Packing: 64x43x46cm	20bins/box
Handle	Packing: 148x18x15cm	20bins/box
Brush head	Gross weight: 20kg	Net weight : 19kg
Handle	Gross weight: 9kg	Net weight : 8kg

***Note:** Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.

C-019

Plastic windproof rubbish shovel

Technical Specification		
Packing:	79x34x68.5cm	12 bins/box
Colour:		

C-020

Iron windproof rubbish shovel

Technical Specification		
Packing:	66x64x28cm	10 bins/box
Colour:		



C-038B



C-039B



C-040B



C-019



C-020

C-020A Manual pick-up device

Technical Specification	
Packing: 90x29x40.5cm	50 bins/box
Colour:	Silver 

C-205 Button type drag clip

Technical Specification	
Packing: 128x42x43.5cm	50 bins/box
Packing: 128x42x16.5cm	20 bins/box
Colour:	Silver 



C-021 Long broom

Technical Specification	
Packing: 81x28x24cm	60 bins/box
Colour:	   

C-022 Short broom

Technical Specification	
Packing: 72x25x25cm	30 bins/box
Colour:	   

***Note:** Product color may be kind of slight respectively in the process of the photo, in order to prevail in kind.



C-022A/C-002AO Short broom

Technical Specification	
Packing: 52x27x39cm	30 bins/box
Colour:	 



CLEANING TOOL

C-038 / C-039 / C-040

Long handle floor brush

C-038 Technical Specification


Product size:	18" 45cm
Packing: 50x28x45cm	20 bins/box

C-039 Technical Specification

Product size:	22" 55cm
Packing: 61x28x45cm	20 bins/box

C-040 Technical Specification

Product size:	30" 75cm
Packing: 82x28x45cm	20 bins/box



C-023 / C-024 / C-025

Steel straight rubber squeegee

C-023 技术参数 Technical Specification

Product size:	18" 45cm
---------------	----------

C-024 Technical Specification


Product size:	22" 55cm
---------------	----------

C-025 Technical Specification

Product size:	30" 75cm
---------------	----------

C-025F/C-025E/C-025D/C-025C/ C-025B/C-025A

塑料胶条推水刮
Plastic sponge squeegee



C-027 / C-028

Steel corved rubber squeegee

C-027 Technical Specification

Product size:	22" 55cm
---------------	----------

C-028 Technical Specification

Product size:	30" 75cm
---------------	----------



C-029 / C-030 / C-031

Steel straight sponge squeegee

C-029 Technical Specification


Product size:	18" 45cm
---------------	----------

C-030 Technical Specification

Product size:	22" 55cm
---------------	----------

C-031 Technical Specification

Product size:	30" 75cm
---------------	----------




C-033 / C-034

Steel curved sponge squeegee

C-033 Technical Specification	
Product size:	22" 55cm
Packing: 57x22x19cm	20 bins/box

C-034 Technical Specification	
Product size:	30" 75cm
Packing: 76x28x31cm	50 bins/box



C-034

C-033

C-035 / C-036 / C-037

Plastic sponge squeegee

C-035 Technical Specification	
Product size:	18" 45cm
Packing: 50x28x45cm	20 bins/box

C-036 Technical Specification	
Product size:	22" 55cm
Packing: 61x28x41cm	20 bins/box

C-037 Technical Specification	
Product size:	30" 75cm
Packing: 82x28x45cm	20 bins/box



C-037

C-036

C-035



C-110
Mop Holder

C-150

Plastic sponge squeegee

Technical Specification	
Product size:	150x47x42mm
Packing:	1520x20x42mm

CLEANING TOOL

C-087

Round dust brush

Technical Specification	
Colour:	Gray 



C-087

C-088

Waist tube brush

Technical Specification	
Colour:	Black 



C-088

C-041

Senior tiger clip

Technical Specification	
Colour:	Green 
Packing:	10bins/box



C-041

C-042

Stainless steel glass knife

C-042A

The clip of knife

C-042B

knife

Technical Specification	
Packing:	200bins/bag



C-042

C-042A



C-042B



C-078



C-079

C-078

Import double edge rubber strip

C 079

Import single edge rubber strip

C-080

The rubber strip of glass squeegee

Technical Specification	
Packing:	100 strips/tie
Colour:	  



C-080

C-080A

The rubber strip of glass squeegee

Technical Specification	
Packing:	100 strips/tie
Colour:	




C-080A

C-043

Glass cleaning kit

Technical Specification	
Products size:	125x26x7xcm



C-043

C-017C

Long handle glass shovel

Technical Specification	
Colour:	



C-017C

C-017

Glass shovel

Technical Specification	
Packing:	50bins/box
Colour:	




C-017

C-017A

Glass shovel knife


Technical Specification	
Packing:	100 bins/bag



C-0171

Plastic glass wiper

Technical Specification				
Model	PRODUCT SIZE			
C-066B	10"	25cm	30x30x29cm	50sets/box
C-067B	14"	35cm	30x35x29cm	50sets/box
C-068B	16"	40cm	30x40x28cm	50sets/box
C-069B	18"	45cm	30x45x28cm	50sets/box
Colour:	 			



C-069B C-068B C-067B C-066B

CLEANING TOOL


Stainless steel glass scrape (C-066~C069)

Technical Specification				
Model	PRODUCT SIZE	PACKING		
C-066	10" 25cm	28x25x18cm	50sets/box	
C-067	14" 35cm	38x25x18cm	50sets/box	
C-068	16" 40cm	43x25x18cm	50sets/box	
C-069	18" 45cm	48x25x18cm	50sets/box	
Colour:				



Stainless steel button glass scrape (C-066A~C069A)

Technical Specification				
Model	PRODUCT SIZE	PACKING		
C-066A	10" 25cm	28x25x18cm	50sets/box	
C-067A	14" 35cm	38x25x18cm	50sets/box	
C-068A	16" 40cm	43x25x18cm	50sets/box	
C-069A	18" 45cm	48x25x18cm	50sets/box	
颜色 Colour:				



Glass water scrape (C-070~C072)

Technical Specification				
Model	PRODUCT SIZE	PACKING		
C-070	14" 35cm	76x42x25cm	50sets/box	
C-071	16" 40cm	78x48x24cm	50sets/box	
C-072	18" 45cm	80x54x24cm	50sets/box	
Colour:				



Spare for glass water scrape (C-074~C076)

Technical Specification		
Model	PRODUCT SIZE	PACKING
C-074	14" 35cm	10 pcs/bag
C-075	16" 40cm	10 pcs/bag
C-076	18" 45cm	10 pcs/bag
C-077	35"	10 pcs/bag

T-Handle (C-074A~C076A)

Technical Specification		
Model	PRODUCT SIZE	PACKING
C-074A	14" 35cm	10 pcs/tie
C-075A	16" 40cm	10 pcs/tie
C-076A	18" 45cm	10 pcs/tie

C-077 C-076 C-075 C-074

USA 3M floor pad & Floor pad made in China

Technical Specification			
Model	SIZE	PACKING	
C-100B	17"	445x145x440mm	5pcs/box
C-100D	20"	445x145x440mm	5pcs/box
C-101B	17"	515x145x515mm	5pcs/box
C-101D	20"	515x145x515mm	5pcs/box
颜色 Color			



Cleaning pad
C-100B/C-100D

3M Cleaning pad
C-101B/C-101D

C-102 Diamond mat

Technical Specification	
Products size:	50#,150#,300#,500#,800#, 1000#,1500#,2000#,3000#



C-102



C-103

C-104

C-103 Bailiang polishing steel wire mat

Technical Specification	
Products size:	0#,1#,2#,3#
Packing:	40x40x62cm 20 bins/box

C-104 Bailiang polishing steel wire mat

Technical Specification	
Products size:	0#,1#,2#,3#
Packing:	66x39x39cm 100bins/box



C-089



C-199

C-089 Water brush

Technical Specification	
Products size:	9x15x23cm
Packing:	100 bins/box
Colour:	  

C-199 17" Cotton yam pad

C-090&C091 Waist & Square cloth



C-090



C-091

C-092&C-093 Magic & Waist sponge cloth

Technical Specification		
Model	PRODUCT SIZE	PACKING
C-090	11.5x14x0.9cm	100 bins/box
C-091	10x15x0.9cm	100 bins/box
C-092	8.2x10x3cm	100 bins/box
C-093	—	100 bins/box



C-092



C-093

C-085&C-086&C-087A Toilet brush & Bathtub & Cup brush

Technical Specification	
Model	PACKING
C-085	100 bins/bag
C-086	100 bins/bag
C-087A	100 bins/box



C-085

C-086



C-087A



EMAN EMAN BUILDING CLEANING EQUIPMENT TRADING CO. L.L.C
إيمان إيمان لتجارة معدات تنظيف المباني ذ ذم